


**SCHRAUBVERSCHLÜSSE**  
**CAPSULES FILETÉES**

**SCREW CAPS**  
**TAPAS CON ROSCA**



|           |          |          |          |          |          |          |          |          |          |
|-----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Ref. No:  | 6090.06W | 6090.06A | 6001.020 | 6041.000 | 6041.00W | 6042.000 | 6089.150 | 6093.000 | 6093.00W |
| Thread:   | EUR 3    | EUR 3    | (EUR 4)  | EUR 4    | EUR 4    | EUR 4    | EUR 4    | EUR 4    | EUR 4    |
| Material: | Urea     | Urea     | PE       | Urea     | Urea     | Urea     | PP       | PP       | PP       |
| Ø:        | 14,3 mm  | 14,3 mm  | 8,2 mm   | 17 mm    | 17 mm    | 19,5 mm  | 17,5 mm  | 26 mm    | 26 mm    |
| H:        | 24 mm    | 24 mm    | 9,6 mm   | 16,9 mm  | 16,9 mm  | 10,5 mm  | 14,5 mm  | 22 mm    | 22 mm    |



|           |          |          |          |          |          |          |          |          |          |          |
|-----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Ref. No:  | 6001.012 | 6051.010 | 6051.01W | 6051.51E | 6052.000 | 6091.870 | 6091.87A | 6091.87W | 6091.86W | 6091.86E |
| Thread:   | (EUR 5)  | EUR 5    | EUR 5    | EUR 5    | EUR 5    | EUR 5    | EUR 5    | EUR 5    | EUR 5    | EUR 5    |
| Material: | PE       | Urea     | Urea     | Urea     | Urea     | Urea     | Urea     | Urea     | Urea     | Urea     |
| Ø:        | 10,4 mm  | 20,5 mm  | 20,5 mm  | 20,5 mm  | 22,5 mm  | 22 mm    | 22 mm    | 22 mm    | 22 mm    | 22 mm    |
| H:        | 8 mm     | 18,2 mm  | 18,2 mm  | 18,5 mm  | 20 mm    | 40 mm    | 40 mm    | 40 mm    | 40 mm    | 40 mm    |



|           |          |          |          |          |                   |
|-----------|----------|----------|----------|----------|-------------------|
| Ref. No:  | 6093.100 | 6093.10W | 6090.020 | 6046.460 | 6090.211/9802.06A |
| Thread:   | EUR 5    | EUR 5    | EUR 5    | EUR 5    | EUR 5             |
| Material: | PP       | PP       | PP       | Urea     | PP                |
| Ø:        | 26 mm    | 26 mm    | 32,5 mm  | 32,8 mm  | 34 mm             |
| H:        | 22 mm    | 22 mm    | 49 mm    | 30,5 mm  | 36,8 mm           |

1 : 297,2008


**SCHRAUBVERSCHLÜSSE**  
**CAPSULES FILETÉES**

**SCREW CAPS**  
**TAPAS CON ROSCA**



|           |              |              |              |              |              |          |              |              |
|-----------|--------------|--------------|--------------|--------------|--------------|----------|--------------|--------------|
| Ref. No:  | 6094.000     | 6094.00A     | 6094.00E     | 6094.00W     | 6094.50E     | 6089.252 | 6099.002     | 6099.003     |
| Thread:   | EUR 5        | EUR 5        | EUR 5        | EUR 5        | EUR 5        | EUR 6    | EUR 6        | EUR 6        |
| Material: | Urea         | Urea         | Urea         | Urea         | Urea         | PP       | Urea         | Urea         |
| Ø:        | 21,5-31,5 mm | 21,5-31,5 mm | 21,5-31,5 mm | 21,5-31,5 mm | 21,5-31,5 mm | 22,5 mm  | 20,8-23,6 mm | 22,8-23,2 mm |
| H:        | 22 mm        | 22 mm        | 22 mm        | 22 mm        | 22 mm        | 22,8 mm  | 25,5 mm      | 25,9 mm      |

2. 29.7.2008



|           |             |             |             |             |             |             |             |
|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Ref. No:  | 6091.901    | 6093.200    | 6093.20W    | 6093.70E    | 6093.21W    | 6093.23A    | 6046.4M0    |
| Thread:   | GCMi 13/415 | GCMi 13/415 | GCMi 13/415 | GCMi 13/415 | GCMi 13/415 | GCMi 13/415 | GCMi 22/415 |
| Material: | PE          | PP          | PP          | PP          | PP          | PP          | Urea        |
| Ø:        | 16,5 mm     | 19 mm       | 19 mm       | 19 mm       | 19 mm       | 16 mm       | 32 mm       |
| H:        | 9,5 mm      | 20 mm       | 20 mm       | 16 mm       | 18 mm       | 12,5 mm     | 30 mm       |



|           |             |             |             |             |              |              |              |             |
|-----------|-------------|-------------|-------------|-------------|--------------|--------------|--------------|-------------|
| Ref. No:  | 6091.911    | 6090.150    | 6093.300    | 6093.30W    | 6094.200     | 6094.20A     | 6094.70E     | 6090.24W    |
| Thread:   | GCMi 18/415 | GCMi 18/415 | GCMi 18/415 | GCMi 18/415 | GCMi 18/415  | GCMi 18/415  | GCMi 18/415  | GCMi 18/415 |
| Material: | PE          | PP          | PP          | PP          | Urea         | Urea         | Urea         | PP          |
| Ø:        | 21,2 mm     | 21,5 mm     | 26 mm       | 26 mm       | 21,5-31,5 mm | 21,5-31,5 mm | 21,5-31,5 mm | 26,5 mm     |
| H:        | 13 mm       | 18 mm       | 22 mm       | 22 mm       | 22 mm        | 22 mm        | 22 mm        | 26,5 mm     |

**SCHRAUBVERSCHLÜSSE**  
**CAPSULES FILETÉES**

**SCREW CAPS**  
**TAPAS CON ROSCA**



Ref. No: 6091.925  
Thread: GCM1 13/415  
Material: PE/PP  
Ø: 19,7 x 19,7 mm  
H: 16 mm

Ref. No: 6091.955  
Thread: GCM1 18/415  
Material: PE/PP  
Ø: 35,2 x 35,2 mm  
H: 25 mm

Ref. No: 6091.926  
Thread: GCM1 13/415  
Material: PE/PP  
Ø: 19,7 x 19,7 mm  
H: 16 mm

Ref. No: 6091.956  
Thread: GCM1 18/415  
Material: PE/PP  
Ø: 35,2 x 35,2 mm  
H: 25 mm

3: 29.7.2008



Ref. No: 6020.011  
Thread: ---  
Material: PE/PP  
Ø: 10,3 mm  
H: 22 mm

Ref. No: 6010.01A  
Thread: special  
Material: PP  
Ø: 19,2 mm  
H: 26,8 mm

Ref. No: 6010.01E  
Thread: special  
Material: PP  
Ø: 19,2 mm  
H: 26,8 mm

Ref. No: 6010.01W  
Thread: special  
Material: PP  
Ø: 19,2 mm  
H: 26,8 mm

Ref. No: 6010.11A  
Thread: special  
Material: PP/Alu  
Ø: 20 mm  
H: 28 mm

Ref. No: 6090.010  
Thread: special  
Material: Urea  
Ø: 19 mm  
H: 27 mm

Ref. No: 6090.51E  
Thread: special  
Material: Urea  
Ø: 19 mm  
H: 27 mm



Ref. No: 6023.310  
Thread: 32BX3  
Material: Urea  
Ø: 12,2 mm  
H: 8,2 mm

Ref. No: 6023.31A  
Thread: 32BX3  
Material: Urea  
Ø: 12,2 mm  
H: 8,2 mm

Ref. No: 6065.2TE  
Thread: 32BX3  
Material: Brass/Ni  
Ø: 10,5 mm  
H: 12,2 mm

Ref. No: 6071.70A  
Thread: 32BX3  
Material: Brass/Alu  
Ø: 11,6 mm  
H: 13,8 mm

Ref. No: 6099.200  
Thread: 32BX3  
Material: Urea  
Ø: 13-15,4 mm  
H: 14,4 mm


Ref. No: 6099.20A  
Thread: 32BX3  
Material: Urea  
Ø: 13-15,4 mm  
H: 14,4 mm

Ref. No: 6090.090  
Thread: 12x13  
Material: Urea  
Ø: 15,7 mm  
H: 14,9 mm


Ref. No: 6090.100  
Thread: GL 20 DIN168  
Material: Urea  
Ø: 23 mm  
H: 26 mm

**SCHRAUBVERSCHLÜSSE**  
**CAPSULES FILETÉES**

**SCREW CAPS**  
**TAPAS CON ROSCA**



|           |            |            |             |              |              |             |             |             |             |
|-----------|------------|------------|-------------|--------------|--------------|-------------|-------------|-------------|-------------|
| Ref. No:  | 6090.030   | 6090.03W   | 6091.00W    | 6090.11W     | 6090.11A     | 6091.880    | 6091.888    | 6091.88W    | 6091.88E    |
| Thread:   | GL14DIN168 | GL14DIN168 | GL18 DIN168 | GL 18 DIN168 | GL 18 DIN168 | GL18 DIN168 | GL18 DIN168 | GL18 DIN168 | GL18 DIN168 |
| Material: | Urea       | Urea       | Urea        | Urea         | Urea         | Urea        | Urea        | Urea        | Urea        |
| Ø:        | 15 mm      | 15 mm      | 19,9 mm     | 21,5 mm      | 21,5 mm      | 22 mm       | 22 mm       | 22 mm       | 22 mm       |
| H:        | 13,8 mm    | 13,8 mm    | 17,8 mm     | 19,5 mm      | 19,5 mm      | 40 mm       | 40 mm       | 40 mm       | 40 mm       |



|           |             |             |             |          |             |             |             |             |
|-----------|-------------|-------------|-------------|----------|-------------|-------------|-------------|-------------|
| Ref. No:  | 6091.892    | 6091.896    | 6091.89W    | 6020.011 | 6092.010    | 6092.01A    | 6092.01F    | 6092.01W    |
| Thread:   | GL18 DIN168 | GL18 DIN168 | GL18 DIN168 | ---      | GL18 DIN168 | GL18 DIN168 | GL18 DIN168 | GL18 DIN168 |
| Material: | Urea        | Urea        | Urea        | PE/PP    | Urea        | Urea        | Urea        | Urea        |
| Ø:        | 20-24 mm    | 20-24 mm    | 20-24 mm    | 10,3 mm  | 22 mm       | 22 mm       | 22 mm       | 22 mm       |
| H:        | 22 mm       | 22 mm       | 22 mm       | 22 mm    | 40 mm       | 40 mm       | 40 mm       | 40 mm       |




|           |             |              |             |             |             |             |             |
|-----------|-------------|--------------|-------------|-------------|-------------|-------------|-------------|
| Ref. No:  | 6090.070    | 6090.57E     | 6091.680    | 6091.787    | 6091.816    | 6046.450    | 6046.95E    |
| Thread:   | GL18 DIN168 | GL 18 DIN168 | GL18 DIN168 | GL18 DIN168 | GL18 DIN168 | GL18 DIN168 | GL18 DIN168 |
| Material: | PE/Urea     | Urea         | Urea        | Urea/Alum.  | PP          | Urea        | Urea        |
| Ø:        | 21 mm       | 21 mm        | 41,2 mm     | 32,6 mm     | 21,2-32 mm  | 26,8 mm     | 26,8 mm     |
| H:        | 27,5 mm     | 27,5 mm      | 20,1 mm     | 47,2 mm     | 23,2 mm     | 24 mm       | 24 mm       |


4: 29.7.2008



|           |              |              |              |              |              |              |
|-----------|--------------|--------------|--------------|--------------|--------------|--------------|
| Ref. No:  | 6030.10W     | 6030.11W     | 6030.100     | 6030.140     | 6030.120     | 6030.13E     |
| Thread:   | GL 18 Pharm. | GL 18 Pharm. | GL 18 Pharm. | GL 18 Pharm. | GL 18 Pharm. | GL 18 Pharm. |
| Material: | PE/PP        | PE/PP        | PE/PP        | PE/PP        | PE/PP        | PE/PP        |
| Ø:        | 21,2 mm      | 21,2 mm      | 21,2 mm      | 21,2 mm      | 21,2 mm      | 23,2 mm      |
| H:        | 14,5 mm      | 14,5 mm      | 14,5 mm      | 14,5 mm      | 14,5 mm      | 19,7 mm      |



|           |          |          |             |             |          |          |
|-----------|----------|----------|-------------|-------------|----------|----------|
| Ref. No:  | 6093.160 | 6093.16W | 6093.590    | 6093.59W    | 6093.60W | 6093.61H |
| Thread:   | 34 x 8.5 | 34 x 8.5 | GCM1 51/400 | GCM1 51/400 | ---      | ---      |
| Material: | PP       | PP       | PP          | PP          | Urea     | Urea     |
| Ø:        | 36,8 mm  | 36,8 mm  | 52,9 mm     | 52,9 mm     | 30 mm    | 43 mm    |
| H:        | 10,8 mm  | 10,8 mm  | 12 mm       | 12 mm       | 12,5 mm  | 13,5 mm  |



|           |          |          |          |          |
|-----------|----------|----------|----------|----------|
| Ref. No:  | 6097.00A | 6098.00A | 6097.01A | 6098.01A |
| Thread:   | 42 x 11  | 51 x 11  | 42 x 11  | 51 x 11  |
| Material: | Urea     | Urea     | Urea     | Urea     |
| Ø:        | 50,5 mm  | 55,5 mm  | 50,5 mm  | 55,5 mm  |
| H:        | 20 mm    | 21,8 mm  | 13,5 mm  | 15 mm    |

5: 29.7.2008